

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|-----------------|------------------|---------|------------------|
| L1 | 58 | (real adj mode realmode) and (alternat\$3 substitute backup) near3 (id address identifier url nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 06:58 |
| L2 | 8 | (real adj mode realmode) and (alternat\$3 substitute backup) near3 (id address identifier url nic mac) and (source origin\$2) near3 (id address identifier url nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 07:50 |
| L3 | 5 | (real adj mode realmode) and protected and (alternat\$3 substitute backup) near3 (id address identifier url nic mac) and (source origin\$2) near3 (id address identifier url nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 07:53 |
| L4 | 43 | (real adj mode realmode) and protected and (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier url nic mac) and (source origin\$2) near3 (id address identifier url nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 07:53 |
| L5 | 43 | (real adj mode realmode) and protected and (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier url nic mac) and (source origin\$2) near3 (id address identifier url nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 07:54 |
| L6 | 3 | (real adj mode realmode) and protected and (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier url nic mac) same (source origin\$2) near3 (id address identifier url nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 07:56 |

| | | | | | | |
|-----|----|---|-----------------|----|----|------------------|
| L7 | 45 | (real adj mode realmode) and protected and (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier nic mac) same (source origin\$2 physical apparatus device component equipment unit) near3 (id address identifier nic mac) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 07:59 |
| L8 | 85 | (real adj mode realmode) and protected and (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier port "i/o" nic mac) same (source origin\$2 physical apparatus device component equipment unit) near3 (id address identifier nic mac port "i/o") and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:00 |
| L9 | 1 | (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier port "i/o" nic mac) same (source origin\$2 physical apparatus device component equipment unit) near3 (id address identifier nic mac port "i/o").ab. and (real adj mode realmode) and protected and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:01 |
| L10 | 22 | (second adj (state mode) protected) same (alternat\$3 substitute backup modified updated replaced) near3 (id address identifier port "i/o" nic mac) and (source origin\$2 physical apparatus device component equipment unit) near3 (id address identifier nic mac port "i/o") and (real adj mode realmode) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:05 |
| L11 | 22 | (second adj (state mode) protected) same (alternat\$3 substitute backup modified updated replaced new) near2 (id address identifier port "i/o" nic mac) and (source origin\$2 physical apparatus device component equipment unit) near2 (id address identifier nic mac port "i/o") and (real adj mode realmode) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:10 |

| | | | | | | |
|-----|------|--|--------------------|----|----|------------------|
| L12 | 20 | (second adj (state mode) protected) same (alternat\$3 substitute backup modified updated replaced new) near2 (id address identifier) and (port "i/o" mac source origin\$2 physical apparatus module device component equipment unit nic card adapter) near2 (id address identifier nic mac port "i/o") and (real adj mode realmode) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:14 |
| L13 | 17 | (second adj (state mode) protected) same (alternat\$3 substitute backup modified updated replaced new) adj3 (id address identifier) and (port "i/o" mac source origin\$2 physical apparatus module device component equipment unit nic card adapter) near2 (id address identifier nic mac port "i/o") and (real adj mode realmode) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:37 |
| L14 | 5941 | (state mode) same (alternat\$3 substitute backup modified updated replaced new) adj3 (id address identifier) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:38 |
| L15 | 208 | (state mode) same forward\$3 same (alternat\$3 substitute backup modified updated replaced new) adj3 (id address identifier) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 08:40 |
| L16 | 58 | (state mode) same forward\$3 same (alternat\$3 substitute backup modified updated replaced new) adj3 (id address identifier) same (source origin\$2) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:01 |
| L17 | 1870 | (state mode) and forward\$3 and (alternat\$3 substitute backup modified updated replaced new) adj3 (mac id address identifier) same (source origin\$2) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:02 |

| | | | | | | |
|-----|-----|--|-----------------|----|----|------------------|
| L18 | 42 | (alternat\$3 substitute backup modified updated replaced new) adj3 (mac id address identifier) same (source origin\$2).ab. and (state mode) and forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:04 |
| L19 | 55 | (alternat\$3 substitute backup modified updated replaced new) adj3 (mac id address identifier port "i/o") same (source origin\$2).ab. and (state mode) and forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:04 |
| L20 | 25 | (alternat\$3 substitute backup modified updated replaced new) adj3 (mac id address identifier port "i/o") same (source origin\$2).ab. and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:19 |
| L21 | 14 | (alternat\$3 substitute backup modified updated replaced new) adj3 (mac id address identifier port "i/o") same (source origin\$2).ab. and (state mode) with forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:20 |
| L22 | 8 | (alternat\$3 substitute backup modified updated replaced proxy mask\$3) adj3 (mac id address identifier port "i/o") same (source origin\$2).ab. and (state mode) with forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:22 |
| L23 | 6 | (alternat\$3 substitute replaced proxy mask\$3) adj3 (mac id address identifier port "i/o") same (source origin\$2).ab. and (state mode) with forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:34 |
| L24 | 335 | (alternat\$3 substitute replaced proxy mask\$3) adj3 (mac id address identifier port "i/o") same (source origin\$2) same (state mode) sameforward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:34 |

| | | | | | | |
|-----|-----|---|-----------------|----|----|------------------|
| L25 | 128 | (alternat\$3 substitute replaced proxy mask\$3) adj3 (mac id address identifier port "i/o") with (source origin\$2) same (state mode) sameforward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:35 |
| L26 | 128 | (alternat\$3 substitute replaced proxy mask\$3) adj3 (address id address identifier port "i/o") with (source origin\$2) same (state mode) sameforward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:35 |
| L27 | 66 | (alternat\$3 substitute replaced proxy mask\$3) adj3 (address id address identifier port "i/o") near3 (source origin\$2) same (state mode) sameforward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:40 |
| L28 | 2 | (alternat\$3 substitute replaced proxy mask\$3) adj3 (address id address identifier port "i/o") near3 (source origin\$2) same (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:41 |
| L30 | 663 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier port "i/o") and (source origin\$2) adj3 (address id address identifier port "i/o") and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:43 |
| L31 | 472 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) and (source origin\$2) adj3 (address id address identifier) and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:43 |
| L32 | 189 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) same(source origin\$2) adj3 (address id address identifier) and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:43 |

| | | | | | | |
|-----|-----|---|--------------------|----|----|------------------|
| L33 | 6 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) same (source origin\$2) adj3 (address id address identifier). ab. and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:45 |
| L34 | 4 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) same (source origin\$2) adj3 (address id address identifier). ab. and ip and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:55 |
| L35 | 160 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) same (source origin\$2 native local) adj3 (address id address identifier) and ip and (state mode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:56 |
| L37 | 1 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) and (source origin\$2 native local) adj3 (address id address identifier) and ip and (first adj state real adj mode realmode) same forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:57 |
| L38 | 44 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) and (source origin\$2 native local) adj3 (address id address identifier) and ip and (first adj state real adj mode realmode) and forward\$3 and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:58 |
| L39 | 2 | (alternat\$3 substitute replaced proxy) adj3 (address id address identifier) same forward\$3 and (source origin\$2 native local) adj3 (address id address identifier) same forward\$3 and ip and (first adj state real adj mode realmode) and (@ad<"20011228" @rlad<"20011228") | US-PGPUB; USPAT | OR | ON | 2006/02/02 09:58 |